PRODUCT

CATALOG

2026



BEOROL PRIMA d.o.o.

PRODUCTION

BEOROL-PRIMA IS THE LEADING AND MOST ADVANCED MANUFACTURER OF PAINTING TOOLS IN THE SEE REGION.

140+
Employees

350+
Different products

4 Manufacturing facilities

10.000m²
Manufacturing space





WE ARE FOCUSED ON THE QUALITY OF PRODUCTS AND PROCESSES.

Our focus on quality is reflected in our continuous investments in the modernization of production facilities to effectively meet consumer demands and ensure the consistent and secure quality of every product that leaves our production for the market. Additionally, we have implemented key standards and established rigorous control methods, as well as strategic partnerships with leading, globally recognized suppliers.

Quality management systems according to the **ISO 9001:2015** standard

Occupational health and safety management systems according to the **ISO 45001:2018** standard

Environmental management systems according to the **ISO 14001:2015** standard

CE certified products

PAINTING & DECORATING ASSORTMENT

- PAINT ROLLERS
- HANDLES, GRIDS AND TRAYS
- PAINT BRUSHES
- ADHESIVE TAPES
- TILE INSTALLATION
- BOWLS AND LADDERS





PAINT ROLLERS

How to choose the right paint roller?

When it comes to selecting the right paint roller, there are several factors to consider in order to achieve the desired result:

SURFACE TYPE:

Different types of surfaces require appropriate paint rollers to achieve the optimal result. Based on the type of surface the paint is applied to, we have categorized the paint rollers into: rollers for smooth surfaces, semi-rough surfaces, and rough/exterior surfaces.



TYPE OF PAINT:

We have classified the paint rollers based on the type of paint being applied. This classification allows for the selection of the right paint roller for a specific type of paint and the surface being painted, which is essential for achieving excellent results during the painting process.

PAINT ROLLERS FOR DISPERSIVE (EMULSION) PAINTS
PAINT ROLLERS FOR ACRYLIC & LATEX PAINTS
PAINT ROLLERS FOR SPECIAL COATINGS
PAINT ROLLERS FOR STAIN AND VARNISH
PAINT ROLLERS FOR FACADE PAINTS

TYPE OF MATERIAL:

The type and quality of materials used to make the fabrics, as well as fabrics length and fiber structure directly impact the quality and final result of the work. Longer fibers are ideal for rough and semi-smooth surfaces, while shorter fibers are suitable for fine finishes, glazes, and varnishes.



POLYAMIDE
MICROFIBER
ACRYLIC
NYLON
WOOL

PAINT ROLLER SIZE:

An important factor in selecting a paint roller is the length of the paint roller and the diameter of the core. For larger surfaces, it is recommended to use longer paint rollers with a larger diameter, while for smaller areas, corners, and hard-to-reach places, paint rollers with a core diameter of 15 mm and a length of 10 or 7 cm are recommended.



PAINT ROLLER MANUFACTURING METHODS:

THERMOFUSION PAINT ROLLERS have short fibers at the ends that follow the center line, which almost completely eliminates the possibility of accidental color transfer to the neighboring wall and ensures precision in the finishing work.

SEWN PAINT ROLLERS contain a special foam that makes the rollers soft and suitable for excellent adherence to rough/exterior surfaces and ensuring high quality, efficient work



PAINT ROLLERS FOR DISPERSIVE (EMULSION) PAINTS

PAINT ROLLERS FOR ACRYLIC & LATEX PAINTS

PAINT ROLLERS FOR SPECIAL COATINGS

PAINT ROLLERS FOR STAIN AND VARNISH

PAINT ROLLERS FOR FACADE PAINTS

OTHER PAINT ROLLERS



PAINT ROLLERS FOR DISPERSIVE (EMULSION) PAINTS

PAINT ROLLER BLANCO EXTRA WITH HANDLE



- Paint roller for painting flat and semi-rough surfaces with dispersive and semi-dispersive paints, with handle, hobby quality level
- Manufacturing process: Sewing
- Fabric: 100% Polyacrylic



Code				Unit	Pack unit	Master carton
VBE258SET	250mm	45mm	16mm	piece	1 pcs	20 pcs

PAINT ROLLER
BLANCO DISPERSION





Code				Unit	Pack unit	Master carton
VSD188	180mm	45mm	16mm	piece	1 pcs	30 pcs
VSD258	250mm	45mm	16mm	piece	1 pcs	60 pcs

- Paint roller for painting flat surfaces with dispersive and semi-dispersive paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Polyacrylic

PAINT ROLLER
MELANGE RED EXPERT DISPERSION





MINI PAINT ROLLER
MELANGE RED
EXPERT DISPERSION





Code				Unit	Pack unit	Master carton
VEDR188	180mm	45mm	12mm	piece	1 pcs	30 pcs
VEDR258	250mm	45mm	12mm	piece	1 pcs	70 pcs
MVEDR10	100mm	15mm	12mm	piece	10 pcs	460 pcs

- Paint roller for painting flat surfaces with dispersive and semi-dispersive paints, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: Polyamide melange

PAINT ROLLER
ROYAL EXPERT DISPERSION





Code				Unit	Pack unit	Master carton
VEDPG188	180mm	45mm	18mm	piece	1 pcs	30 pcs
VEDPG258	250mm	45mm	18mm	piece	1 pcs	54 pcs

- Paint roller for painting semi-rough surfaces with dispersive and semi-dispersive paints, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Polyamide

PAINT ROLLER HOBBY









MINI PAINT ROLLER HOBBY







Code				Unit	Pack unit	Master carton
VHR188	180mm	45mm	15mm	piece	1 pcs	25 pcs
VHR238	230mm	45mm	15mm	piece	1 pcs	60 pcs
VHR258	250mm	45mm	15mm	piece	1 pcs	55 pcs
RHR10	100mm	15mm	15mm	piece	10 pcs	400 pcs

- Paint roller for painting flat and semi-rough surfaces with water-based paints, hobby quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Polyester

PAINT ROLLER ULTRA RED









MINI PAINT ROLLER ULTRA RED







Code				Unit	Pack unit	Master carton
VURR188	180mm	45mm	18mm	piece	1 pcs	25 pcs
VURR258	250mm	45mm	18mm	piece	1 pcs	50 pcs
RURR10	100mm	15mm	18mm	piece	10 pcs	400 pcs

- Paint roller for painting semi-rough surfaces with dispersive and semi-dispersive paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Polyacrylic

PAINT ROLLER PROFY









Code				Unit	Pack unit	Master carton
VPR188	180mm	45mm	18mm	piece	1 pcs	30 pcs
VPR238	230mm	45mm	18mm	piece	1 pcs	60 pcs
VPR258	250mm	45mm	18mm	piece	1 pcs	60 pcs

- Paint roller for painting semi-rough surfaces with dispersive and semi-dispersive paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Polyacrylic

PAINT ROLLER HOBBY EXTRA






Code				Unit	Pack unit	Master carton
VHER188	180mm	45mm	15mm	piece	1 pcs	45 pcs
VHER238	230mm	45mm	15mm	piece	1 pcs	40 pcs
VHER258	250mm	45mm	15mm	piece	1 pcs	35 pcs

- Paint roller for painting rough surfaces with water-based paints, hobby quality level
- Manufacturing process: Sewing
- Fabric: 100% Polyester

PAINT ROLLER ULTRA RED PLUS





Code				Unit	Pack unit	Master carton
VURPR188	180mm	45mm	18mm	piece	1 pcs	45 pcs
VURPR258	250mm	45mm	18mm	piece	1 pcs	35 pcs
VURPR278	270mm	45mm	18mm	piece	1 pcs	30 pcs

- Paint roller for painting rough, facade surfaces with facade paints, standard quality level
- Manufacturing process: Sewing
- Fabric: 100% Polyacrylic

PAINT ROLLER PROFY PLUS





Code				Unit	Pack unit	Master carton
VPPR188	180mm	45mm	18mm	piece	1 pcs	45 pcs
VPPR238	230mm	45mm	18mm	piece	1 pcs	40 pcs
VPPR258	250mm	45mm	18mm	piece	1 pcs	35 pcs

- Paint roller for painting rough surfaces with dispersive, semi-dispersive and facade paints, professional quality level
- Manufacturing process: Sewing
- Fabric: 100% Polyacrylic

PAINT ROLLER ELEVEN





MINI PAINT ROLLER ELEVEN





Code				Unit	Pack unit	Master carton
VELR188	180mm	45mm	11mm	piece	1 pcs	30 pcs
VELR238	230mm	45mm	11mm	piece	1 pcs	70 pcs
VELR258	250mm	45mm	11mm	piece	1 pcs	70 pcs
RELR10	100mm	15mm	11mm	piece	10 pcs	460 pcs

- Paint roller for painting flat surfaces with water-based paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Polyacrylic

PAINT ROLLER TIGER





Code				Unit	Pack unit	Master carton
VTR188	180mm	45mm	12mm	piece	1 pcs	30 pcs
VTR258	250mm	45mm	12mm	piece	1 pcs	70 pcs

- For applying the primer – substrate
- Manufacturing process: Thermofusion
- Fabric: 100% Polyacrylic

PAINT ROLLER QUATTRO





Code				Unit	Pack unit	Master carton
VQR258	250mm	45mm	18mm	piece	1 pcs	60 pcs

- Paint roller for painting semi-rough surfaces with dispersive and semi-dispersive paints
- Manufacturing process: Thermofusion
- Fabric: 100% Polyacrylic



PAINT ROLLER PERFETTO






Code				Unit	Pack unit	Master carton
VPFR258	250mm	45mm	20mm	piece	1 pcs	50 pcs

- Paint roller for painting smooth surfaces with emulsion paints to achieve a glossy effect
- Manufacturing process: Thermofusion
- Fabric: 70% Wool, 30% Polyester

PAINT ROLLER JUMBO QUATTRO





Code				Unit	Pack unit	Master carton
VJQR258	250mm	45mm	18mm	piece	1 pcs	35 pcs

- Paint roller for painting slightly rough surfaces with emulsion and semi-emulsion paints
- Manufacturing process: Sewing
- Fabric: 100% Polyacrylic



PAINT ROLLERS FOR ACRYLIC AND LATEX PAINTS

PAINT ROLLER MICROFIBER ACRYLIC



MINI PAINT ROLLER MICROFIBER ACRYLIC

Code				Unit	Pack unit	Master carton
VSA188	180mm	45mm	9mm	piece	1 pcs	35 pcs
VSA258	250mm	45mm	9mm	piece	1 pcs	70 pcs
MVSA10	100mm	15mm	5.2mm	piece	10 pcs	1.000 pcs







- Paint roller for painting flat surfaces with acrylic paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Microfiber

PAINT ROLLER MICROFIBER EXPERT ACRYLIC



MINI PAINT ROLLER MICROFIBER EXPERT ACRYLIC



Code				Unit	Pack unit	Master carton
VEA188	180mm	45mm	10mm	piece	1 pcs	35 pcs
VEA258	250mm	45mm	10mm	piece	1pcs	70 pcs
MVEA10	100mm	15mm	10mm	piece	10 pcs	460 pcs








- Paint roller for painting flat surfaces with acrylic paints, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Microfiber

PAINT ROLLER MICROFIBER EXPERT LATEX



MINI PAINT ROLLER MICROFIBER EXPERT LATEX



Code				Unit	Pack unit	Master carton
VEL188	180mm	45mm	13mm	piece	1 pcs	30 pcs
VEL258	250mm	45mm	13mm	piece	1 pcs	70 pcs
MVEL10	100mm	15mm	13mm	piece	10 pcs	460 pcs







- Paint roller for painting flat surfaces with latex paints, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Microfiber

PAINT ROLLER MICROFIBER NATUR





MINI PAINT ROLLER MICROFIBER NATUR






Code				Unit	Pack unit	Master carton
VMFNR188	180mm	45mm	11mm	piece	1 pcs	30 pcs
VMFNR238	230mm	45mm	11mm	piece	1 pcs	70 pcs
VMFNR258	250mm	45mm	11mm	piece	1 pcs	70 pcs
RMFNR10	100mm	15mm	11mm	piece	10 pcs	460 pcs


- Paint roller for painting flat surfaces with water-based paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Microfiber

PAINT ROLLER MICROFIBER RED LINE





MINI PAINT ROLLER MICROFIBER RED LINE





Code				Unit	Pack unit	Master carton
VMFRLR188	180mm	45mm	13mm	piece	1 pcs	30 pcs
VMFRLR238	230mm	45mm	13mm	piece	1 pcs	40 pcs
VMFRLR258	250mm	45mm	13mm	piece	1 pcs	70 pcs
RMFRLR10	100mm	15mm	9mm	piece	10 pcs	720 pcs

- For applying acrylic coatings, creating a smooth, glass-like texture
- Manufacturing process: Thermofusion
- Fabric: 100% Microfiber



PAINT ROLLER FOR POLYURETHANE


PAINT ROLLER MICROFIBER POLYURETHANE





MINI PAINT ROLLER MICROFIBER POLYURETHANE





Code				Unit	Pack unit	Master carton
VEP188	180mm	45mm	9mm	piece	1 pcs	35 pcs
VEP258	250mm	45mm	9mm	piece	1 pcs	70 pcs
MVEP10	100mm	15mm	5.2mm	piece	10 pcs	1.000 pcs

- Paint roller for applying polyurethane-based paints on metal surfaces, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Microfiber



PAINT ROLLER FOR EPOXY

PAINT ROLLER
EPOXY SHORT PILE 7mm





Code				Unit	Pack unit	Master carton
VEE188-7	180mm	45mm	7mm	piece	1 pcs	35 pcs
VEE258-7	250mm	45mm	7mm	piece	1 pcs	75 pcs
MVEE7	70mm	15mm	7mm	piece	10 pcs	1.200 pcs
MVEE10	100mm	15mm	7mm	piece	10 pcs	1.000 pcs

- Paint roller for applying epoxy coatings, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Nylon

MINI PAINT ROLLER
EPOXY SHORT PILE 7mm








PAINT ROLLER
EPOXY MEDIUM PILE 13mm








Code				Unit	Pack unit	Master carton
VEE188-13	180mm	45mm	13mm	piece	1 pcs	30 pcs
VEE258-13	250mm	45mm	13mm	piece	1 pcs	50 pcs

- Paint roller for applying epoxy coatings, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Nylon

PAINT ROLLERS FOR STAIN AND VARNISH




PAINT ROLLER MICROFIBER WATER BASE







MINI PAINT ROLLER MICROFIBER WATER BASE





Code				Unit	Pack unit	Master carton
VELV188	180mm	45mm	9mm	piece	1 pcs	35 pcs
VELV258	250mm	45mm	9mm	piece	1 pcs	70 pcs
MVELV10	100mm	15mm	9mm	piece	10 pcs	800 pcs

- Paint roller for varnishing wooden surfaces with water-based varnishes, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Microfiber

PAINT ROLLER MOHAIR OIL BASE







MINI PAINT ROLLER MOHAIR OIL BASE





Code				Unit	Pack unit	Master carton
VSLU188	180mm	45mm	5.3mm	piece	1 pcs	35 pcs
VSLU258	250mm	45mm	5.3mm	piece	1 pcs	75 pcs
MVSLU7	70mm	15mm	5.3mm	piece	10 pcs	1.200 pcs
MVSLU10	100mm	15mm	5.3mm	piece	10 pcs	1.000 pcs

- Paint roller for varnishing wooden surfaces with oil-based varnishes, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Wool

PAINT ROLLER PINK MOHAIR







Code				Unit	Pack unit	Master carton
VPNR258	250mm	45mm	5mm	piece	1 pcs	75 pcs

- Paint roller for painting with enamel and two-component lacquers on all wood surfaces
- Manufacturing process: Thermofusion
- Fabric: 100% Wool



PAINT ROLLERS FOR FACADE PAINTS

PAINT ROLLER GOLD FACADE







MINI PAINT ROLLER GOLD FACADE







Code				Unit	Pack unit	Master carton
VEFAS188	180mm	45mm	20mm	piece	1 pcs	30 pcs
VEFAS258	250mm	45mm	20mm	piece	1 pcs	54 pcs
MVEFAS10	100mm	15mm	20mm	piece	1 pcs	400 pcs

- Paint roller for painting rough surfaces with facade, dispersive and semi-dispersive paints, expert level of quality
- Manufacturing process: Thermofusion
- Fabric: 100% Polyamide

PAINT ROLLER ROYAL GRAND







Code				Unit	Pack unit	Master carton
VRGR188	180mm	45mm	18mm	piece	1 pcs	40 pcs
VRGR258	250mm	45mm	18mm	piece	1 pcs	35 pcs
VRGR278	270mm	45mm	18mm	piece	1 pcs	25 pcs

- Paint roller for painting semi-rough surfaces with emulsion and semi-emulsion paints, expert quality level
- Manufacturing process: Sewing
- Fabric: 100% Polyamide

PAINT ROLLER MAXI







MINI PAINT ROLLER MAXI







Code				Unit	Pack unit	Master carton
VMR258	250mm	45mm	20mm	piece	1 pcs	60 pcs
RMR10	100mm	15mm	20mm	piece	10 pcs	400 pcs

- Paint roller for painting flat and semi-rough surfaces with water-based paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Polyamide

PAINT ROLLER YELLOW GREEN







MINI PAINT ROLLER YELLOW GREEN







Code				Unit	Pack unit	Master carton
VMSCR188	180mm	45mm	20mm	piece	1 pcs	25 pcs
VMSCR258	250mm	45mm	20mm	piece	1 pcs	60 pcs
RMSCR10	100mm	15mm	14mm	piece	10 pcs	460 pcs

- Paint roller for painting smooth and slightly rough surfaces with all types of paint, standard quality
- Manufacturing process: Thermofusion
- Fiber: 100% Polyamide

PAINT ROLLER MELANGE SKY BLUE







Code				Unit	Pack unit	Master carton
VMSBR188	180mm	45mm	18mm	piece	1 pcs	30 pcs
VMSBR258	250mm	45mm	18mm	piece	1 pcs	50 pcs

- For painting smooth surfaces with new generation paints and a wide color palette
- Manufacturing process: Thermofusion
- Fiber: 100% Polyacrylic

PAINT ROLLER
JUMBO MAXI








Code				Unit	Pack unit	Master carton
VJMR188	180mm	45mm	20mm	piece	1 pcs	45 pcs
VJMR258	250mm	45mm	20mm	piece	1 pcs	35 pcs

- Paint roller for painting rough surfaces with dispersive, semi-dispersive and facade paints, standard quality level
- Manufacturing process: Sewing
- Fabric: 100% Polyamide

PAINT ROLLER
JUMBO YELLOW GREEN





Code				Unit	Pack unit	Master carton
VJMSCR188	180mm	45mm	20mm	piece	1 pcs	45 pcs
VJMSCR258	250mm	45mm	20mm	piece	1 pcs	35 pcs

- Paint roller for painting smooth and slightly rough surfaces with all types of paint, standard quality
- Manufacturing process: Sewing
- Fiber: 100% Polyamide

PAINT ROLLER
JUMBO MELANGE SKY BLUE





Code				Unit	Pack unit	Master carton
VJMSBR18	180mm	45mm	18mm	piece	1 pcs	45 pcs
VJMSBR258	250mm	45mm	18mm	piece	1 pcs	35 pcs


- For painting smooth surfaces with new generation paints and a wide color palette
- Manufacturing process: Sewing
- Fiber: 100% Polyacrylic



PLASTERING ROLLER

STANDARD PLASTER ROLLER





Code				Unit	Pack unit	Master carton
VSG258	250mm	45mm	16mm	piece	1 pcs	40 pcs

- Roller for applying smoothing compound on flat surfaces, standard quality level
- Manufacturing process: Thermofusion
- Material: 100% Nylon

MINI PAINT ROLLER POLYESTER









Code				Unit	Pack unit	Master carton
RKR7	70mm	15mm	12mm	piece	10 pcs	1.200 pcs
RKR10	100mm	15mm	12mm	piece	10 pcs	460 pcs

- Paint roller for painting flat surfaces with latex paints, standard quality level
- Manufacturing process: Thermofusion
- Fabric: 100% Polyester

PAINT ROLLER DIMENSION

18cm	23cm	25cm	27cm


LABEL SIZE 1



LABEL SIZE 2



OPTIONS FOR PRE PRESS



***Note:** Label position on the roller is the same in the both options*

Portrait orientation




Landscape orientation



MINI PAINT ROLLER DIMENSION

10cm	Fiber length 5-10mm


SMALL BLISTER PACKAGING




MVEA10	
MVEE10	
MVELV10	
MVEP10	
MVSA10	
MVSLU10	
RMFRLR10	

10cm	Fiber length 10-20mm

BIG BLISTER PACKAGING



MVEDRR10	
MVELR10	
RMFNR10	
RHR10	
MVEFAS10	
RURR10	
RMSCR10	
RMR10	
RELR10	
RKR10	




PAINT ROLLER HANDLES

PAINT ROLLER HANDLE




Code	Wire diameter	Wire length	Unit	Pack unit	Master carton
RV188	Ø8mm	18cm	piece	100 pcs	100 pcs
RV238	Ø8mm	23cm	piece	100 pcs	100 pcs
RV258	Ø8mm	25cm	piece	100 pcs	100 pcs



Side view of handle

- Paint roller handle adapted for use with thermofusion and sewn paint rollers with a core diameter of Ø45mm
- The grip of the handle on the inside corresponds to the telescopic handle
- Handle material: Polypropylene
- Wire material: Galvanized steel
- Wire length: 18cm
- Wire diameter: Ø8mm

MINI PAINT ROLLER HANDLE




Code	Wire diameter	Wire length	Handle length	Unit	Pack unit	Master carton
RR7	Ø6mm	7cm	29cm	piece	270 pcs	270 pcs
RR29	Ø6mm	10cm	29cm	piece	250 pcs	250 pcs
RR40	Ø6mm	10cm	40cm	piece	230 pcs	230 pcs
RR56	Ø6mm	10cm	56cm	piece	170 pcs	170 pcs



Side view of handle

- Mini / radiator paint roller handle adapted for use with thermofusion and sewn paint rollers with a core diameter of Ø15mm
- The grip of the handle on the inside corresponds to the telescopic handle
- Handle material: Polypropylene
- Wire material: Galvanized steel
- Wire diameter: Ø6mm

PAINT TRAYS AND GRIDS



PAINT TRAY






Code	Length	Width	Unit	Pack unit	Master carton
K36X36	360mm	360mm	pcs	50pcs	45 pcs
K36X26	360mm	260mm	pcs	60 pcs	60 pcs
K15X32	320mm	150mm	pcs	100 pcs	100 pcs



- A paint tray for applying and squeezing excess paint from a paint roller or brush
- Rounded edges prevent paint from bleeding and make cleaning easier
- Material: Polypropylene
- Color: Red

PVC PAINT GRID





Code	Length	Width	Unit	Pack unit	Master carton
RMPVC	255mm	230mm	piece	100 pcs	100 pcs
RPVC	255mm	310mm	piece	100 pcs	100 pcs




- PVC paint grid for squeezing excess paint during painting and whitewashing when using larger containers with paint
- Material: Polypropylene
- Color: Red

PVC PAINT GRID, PROFESSIONAL





Code	Length	Width	Unit	Pack unit	Master carton
RSPVC	320mm	150mm	piece	100 pcs	100 pcs
RPVCP	390mm	290mm	piece	45 pcs	45 pcs



- PVC paint grid for squeezing excess paint during painting and whitewashing when using larger containers with paint
- Material: Polypropylene
- Color: Red


PAINT BRUSHES

How to choose the right paint brush?

When it comes to selecting the right paint brush, there are several factors to consider in order to achieve the desired result.

BRISTLE TYPE:

The bristles in brushes vary in microscopic cross-section shape, structure, tip treatment, thickness, flexibility, durability and the type of material they are made from. The combination of fila- ments in each bristle ensures the otimal choice for a specific purpose of the paint brush.



PURPOSE DEPENDING ON THE PAINT TYPE:

The correct selectioon of the appropriate bristle and filament mix directly determines the purpose of each paint brush, as well as the type of paint being applied, which affects the coating quality and ease of work. Based on this, we have developed a range of paint brushes specially designed for different types of paint: acrylic and latex paints, glazes, wood paints, and paints for metal surfaces.

UNIVERSAL PAINT BRUSHES
PAINT BRUSHES FOR ACRYLIC PAINTS
PAINT BRUSHES FOR WOODEN SURFACES
PAINT BRUSHES FOR METAL SURFACES
PAINT BRUSHES FOR DECORATIVE WORKS

QUALITY LEVEL:

Quality level is an important factor when choosing the right paint brush. We have classified our paint brushes into three quality levels: hobby, standard, and expert. Each of these levels is tailored to the specific needs and requirements of the user.



PURPOSE DEPENDING ON THE SURFACE:

Depending on the surface being painted, accessibility, and the type of paint being applied, we have curated a range of specialized paint brushes. This range includes paint brushes for painting parquet, paint brushes for hard-to-reach surfaces, as well as different types of brushes.

BRUSHES FOR PAINTING PARQUET
BRUSHES FOR INACCESSIBLE SURFACES



UNIVERSAL PAINT BRUSHES

PAINT BRUSHES FOR ACRYLIC PAINTS

PAINT BRUSHES FOR WOODEN SURFACES

PAINT BRUSHES FOR METAL SURFACES

PAINT BRUSHES FOR DECORATIVE WORKS

OTHER PAINT BRUSHES



UNIVERSAL PAINT BRUSHES

UNIVERSAL SYNTHETIC PAINT BRUSH

HOBBY STANDARD EXPERT



LABEL

Code			Unit	Pack unit	Master carton
US20	20mm	57mm	piece	12 pcs	1.128 pcs
US30	30mm	57mm	piece	12 pcs	804 pcs
US40	40mm	57mm	piece	12 pcs	672 pcs
US50	50mm	57mm	piece	12 pcs	504 pcs
US60	60mm	57mm	piece	12 pcs	360 pcs
US70	70mm	57mm	piece	12 pcs	288 pcs
US80	80mm	57mm	piece	12 pcs	288 pcs
US100	100mm	57mm	piece	12 pcs	192 pcs

- Universal brush for all types of paint and coatings, standard quality
- Bristles: 100% synthetic bristles
- Glue and catalyst: Polyester blend
- Handle: Ergonomic polypropylene handle, red
- Sheet metal: Galvanized steel - stainless

DECO PAINT BRUSH



LABEL



Code			Unit	Pack unit	Master carton
DCB30	30mm	51mm	piece	12 pcs	804 pcs
DCB40	40mm	57mm	piece	12 pcs	672 pcs
DCB50	50mm	57mm	piece	12 pcs	504 pcs
DCB60	60mm	64mm	piece	12 pcs	360 pcs
DCB70	70mm	70mm	piece	12 pcs	288 pcs
DCB80	80mm	70mm	piece	12 pcs	288 pcs
DCB100	100mm	76mm	piece	12 pcs	192 pcs

- Intended use: For applying oil-, nitro-, and acrylic-based paints
- High elasticity, density, and absorbent beechwood handle
- Bristle type: Bristle Mix Standard Plus
- Handle: Ergonomic beechwood handle
- Sheet metal: Galvanized steel - stainless

UNIVERSAL PAINT BRUSH



LABEL



Code			Unit	Pack unit	Master carton
UE20	20mm	44mm	piece	12 pcs	1.128 pcs
UE30	30mm	44mm	piece	12 pcs	804 pcs
UE40	40mm	51mm	piece	12 pcs	672 pcs
UE50	50mm	51mm	piece	12 pcs	504 pcs
UE60	60mm	51mm	piece	12 pcs	360 pcs
UE70	70mm	57mm	piece	12 pcs	288 pcs
UE80	80mm	64mm	piece	12 pcs	288 pcs
UE100	100mm	70mm	piece	12 pcs	192 pcs

- Universal paint brush for all types of paints and coatings, standard quality level
- Bristle: Mix 30% natural and 70% quality synthetic bristle of a high degree of imitation
- Glue and catalyst: Mix polyester
- Handle: Ergonomic polypropylene handle, white color
- Sheet metal: Galvanized steel - stainless

UNIVERSAL EXPERT PAINT BRUSH



CARDBOARD



or

LABEL



Code			Unit	Pack unit	Master carton
UEX1	26mm	51mm	piece	3 pcs	270 pcs
UEX1.5	40mm	57mm	piece	3 pcs	240 pcs
UEX2	52mm	64mm	piece	3 pcs	240 pcs
UEX2.5	65mm	64mm	piece	3 pcs	120 pcs
UEX3	76mm	70mm	piece	3 pcs	120 pcs

- Universal paint brush for all types of paints and coatings, expert quality level
- Bristle: Mix 30% natural and 70% quality synthetic bristle of a high degree of imitation
- Glue and catalyst: Mix polyester
- Handle: Ergonomic polypropylene handle, robust, red color
- Sheet metal: Galvanized steel - stainless



PAINT BRUSHES FOR ACRYLIC PAINTS

ACRYLIC STANDARD PAINT BRUSH



CARDBOARD



or

LABEL



- Paint brush intended for working with acrylic and latex-based paints, standard quality level
- Bristle: *Acqua Performante* blend of synthetic filaments of different types and methods of processing
- Glue: Epoxy resin
- Handle: Ergonomic polypropylene handle, blue color
- Sheet metal: Galvanized steel - stainless

Code			Unit	Pack unit	Master carton
ALSS	30mm	57mm	piece	4 pcs	360 pcs
ALSM	50mm	64mm	piece	4 pcs	320 pcs
ALSL	80mm	64mm	piece	4 pcs	160 pcs

ACRYLIC EXPERT PAINT BRUSH



CARDBOARD



or

LABEL



- Paint brush intended for working with acrylic and latex-based paints, expert level of quality
- Bristle: *Acqua Performante +* blend of synthetic filaments of different types and methods of processing
- Glue: Epoxy resin
- Handle: Ergonomic handle made of beech wood
- Sheet metal: Galvanized steel - stainless

Code			Unit	Pack unit	Master carton
ALES	40mm	64mm	piece	3 pcs	240 pcs
ALEM	52mm	70mm	piece	3 pcs	240 pcs
ALEL	65mm	70mm	piece	3 pcs	120 pcs
ALEXL	76mm	70mm	piece	3 pcs	120 pcs

ACRYLIC PRECISION PAINT BRUSH



CARDBOARD



or

LABEL



- Paint brush intended for working with acrylic and latex-based paints, expert level of quality
- Bristle: *Acqua Performante +* blend of synthetic filaments of different types and methods of processing
- Glue: Epoxy resin
- Handle: Ergonomic handle made of beech wood
- Sheet metal: Galvanized steel - stainless

Code			Unit	Pack unit	Master carton
ALPM	55mm	70mm	piece	3 pcs	144 pcs



PAINT BRUSHES FOR WOODEN SURFACES

WOOD STAIN PAINT BRUSH

HOBBY STANDARD EXPERT

CARDBOARD



or

LABEL





- A paint brush intended for working with oil-based and water-based varnishes, standard quality level
- Bristle: *Delicato* blend of synthetic filaments of different types and methods of processing
- Glue and catalyst: Epoxy resin
- Handle: Ergonomic polypropylene handle, ocher color
- Sheet metal: Galvanized steel - stainless

Code			Unit	Pack unit	Master carton
LDS	30mm	57mm	piece	4 pcs	360 pcs
LDM	50mm	64mm	piece	4 pcs	320 pcs
LDL	80mm	64mm	piece	4 pcs	160 pcs

WOOD PAINTING BRUSH

HOBBY STANDARD EXPERT

CARDBOARD



or

LABEL





- A paint brush intended for working with oil-based and water-based varnishes, as well as various wood paints, standard quality level
- Bristle: *Optimo* blend of synthetic filaments of different types and methods of processing
- Glue and catalyst: Epoxy resin
- Handle: Ergonomic polypropylene handle, robust, brown color
- Sheet metal: Galvanized steel - stainless

Code			Unit	Pack unit	Master carton
FDS	40mm	57mm	piece	3 pcs	240 pcs
FDM	52mm	64mm	piece	3 pcs	240 pcs
FDL	65mm	64mm	piece	3 pcs	120 pcs
FDXL	77mm	70mm	piece	3 pcs	120 pcs



PAINT BRUSHES FOR METAL SURFACES

METAL STANDARD PAINT BRUSH

HOBBY STANDARD EXPERT

CARDBOARD



or

LABEL





Code			Unit	Pack unit	Master carton
MSS	30mm	57mm	piece	4 pcs	360 pcs
MSM	50mm	64mm	piece	4 pcs	320 pcs
MSL	80mm	64mm	piece	4 pcs	160 pcs

- Paint brush intended for applying primers and paints on oil and nitro bases, as well as 3 in 1 paints on metal surfaces, standard quality level
- Bristle: *Stella* blend of synthetic filaments of different types and methods of processing
- Glue and catalyst: Epoxy resin
- Handle: Ergonomic polypropylene handle, gray color
- Sheet metal: Galvanized steel - stainless




PAINT BRUSHES FOR DECORATIVE WORKS

PAINT BRUSH FOR DECORATIVE WORKS

HOBBY STANDARD EXPERT



Code			Unit	Pack unit	Master carton
DRB70	70mm	64mm	piece	12 pcs	168 pcs
DRB100	100mm	64mm	piece	6 pcs	84 pcs




Label position on paint brush

- Specialized paint brush intended for making decorative techniques on interior walls and ceilings
- Bristle: Mix 70% synthetic and 30% natural bristle
- Glue and catalyst: Epoxy resin
- Handle: Ergonomic handle made of beech wood, wide base
- Sheet metal: Galvanized steel - stainless

OTHER BRUSHES FOR VARNISHING AND PAINTING

RADIATOR PAINT BRUSH PROFY





Label position on paint brush




Code			Unit	Pack unit	Master carton
RBP10	1"	51mm	piece	10 pcs	540 pcs
RBP15	1.5"	57mm	piece	10 pcs	360 pcs
RBP20	2"	64mm	piece	10 pcs	280 pcs
RBP25	2.5"	70mm	piece	10 pcs	240 pcs

- Paint brush intended for applying all types of oil-based and nitro-based coatings, as well as water-based paints, suitable for painting and varnishing inaccessible surfaces, standard quality level
- Bristle: Mix 70% and synthetic 30% natural bristle
- Adhesive and catalyst: Polyester
- Handle: Long polypropylene handle
- Sheet metal: Galvanized steel - stainless

RADIATOR PAINT BRUSH





Label position on paint brush




Code			Unit	Pack unit	Master carton
RB10	1"	44mm	piece	10 pcs	540 pcs
RB15	1.5"	44mm	piece	10 pcs	480 pcs
RB20	2"	44mm	piece	10 pcs	360 pcs
RB25	2.5"	51mm	piece	10 pcs	240 pcs

- Paint brush intended for applying all types of oil-based and nitro-based coatings, as well as water-based paints, suitable for painting and varnishing inaccessible surfaces, standard quality level
- Bristle: Mix 70% and synthetic 30% natural bristle
- Adhesive and catalyst: Polyester
- Handle: Long polypropylene handle
- Sheet metal: Galvanized steel - stainless

CORNER BRUSH






Code			Unit	Pack unit	Master carton
CC	64mm	67mm	piece	150 pcs	150 pcs

- Universal brush for painting with different types of colors and coatings
- Suitable for corner painting, as well as painting inaccessible surfaces
- Bristle: Mix 30% natural and 70% artificial bristle, natural color
- Glue: Polyester
- Handle: Polypropylene
- Sheet metal: Galvanized steel - stainless

PARQUETRY LACQUER BRUSH






Code			Unit	Pack unit	Master carton
PB10	100mm	76mm	piece	50 pcs	50 pcs
PB12	120mm	76mm	piece	40 pcs	40 pcs
PB14	140mm	76mm	piece	20 pcs	20 pcs
PB15	150mm	76mm	piece	16 pcs	16 pcs

- Parquetry lacquer brush intended for applying all types of oil- and nitro-based coatings, as well as water-based paints, suitable for painting and varnishing large surfaces
- Bristle: Mix 70% and synthetic 30% natural bristle, natural color
- Glue and catalyst: Epoxy resin
- Handle: Ergonomic plastic
- Sheet metal: Galvanized steel - stainless

ECONOMIC PARQUETRY LACQUER BRUSH






Code			Unit	Pack unit	Master carton
EPB10	100mm	57mm	piece	50 pcs	50 pcs
EPB12	120mm	57mm	piece	40 pcs	40 pcs
EPB14	140mm	57mm	piece	25 pcs	25 pcs

- Economic parquet lacquer brush is intended for applying all types of oil- and nitro-based coatings, suitable for lacquering parquet
- Bristle: Mix 30% natural and 70% artificial bristle, natural color
- Glue and catalyst: Epoxy resin
- Handle: Ergonomic plastic
- Sheet metal: Galvanized steel - stainless

OPTION 1 - LABEL POSITION AND DIMENSIONS



Position of a stamp pad

40 x 8mm

Available dimension of a labels

Brush size	Label size
20mm	17 x 60mm
30mm	17 x 60mm
40mm	23 x 65mm
50mm	23 x 65mm
60mm	36 x 72mm
70mm	36 x 72mm
80mm	36 x 72mm
100mm	49 x 80mm

Brush size	Label size
1”	17 x 60mm
1.5”	23 x 65mm
2”	23 x 65mm
2.5”	36 x 72mm
3”	36 x 72mm


***Note:** Different dimension of paint brush have different size of a label*

OPTION 2 - CARDBOARD PACKAGING




Position of a stamp pad

40 x 8mm



3D preview of blanco cardboard packaging



***Note:** Different dimension of paint brush have different size of a packaging*

***Note:** We can custom-design the tool (die-cut) according to your requirements*

ADHESIVE TAPES

How to choose the right adhesive tape?

When it comes to choosing the right adhesive tape, it is important to consider the specific requirements of the project you are working on.

ADHESIVE TAPE APPLICATION:

Masking tapes are used for both outdoor and indoor work. An important factor is the duration for which the tape remains adhered, meaning the time frame in which the tape can be removed from the surface without leaving any adhesive residue or tape marks.



UNIVERSAL APPLICATION | OUTDOOR APPLICATION | INDOOR APPLICATION

SURFACE TYPE:

The purpose of the adhesive tape also depends on the type of work and the surfaces it is applied to. We have divided the tapes into universal tapes, wall and ceiling tapes, facade tapes, door and window protection tapes, and decorative work tapes.

UNIVERSAL TAPES
WALL AND CEILING TAPES
FACADE TAPES
DOOR AND WINDOW PROTECTION TAPES
TAPES FOR DECORATIVE WORKS

ADHESIVE STRENGTH:

If the tape is applied to uneven surfaces, a stronger adhesive strength is preferred. For more delicate surfaces, the adhesive strength should be weaker.



TEMPERATURE RESISTANCE:

Working environment conditions are also a very important aspect when choosing the right tape. Tapes with higher temperature resistance and UV/Water resistance are used for outdoor work and can withstand various weather conditions. Tapes with lower temperature resistance and no UV/Water resistance are mostly adequate for indoor tasks.







MASKING TAPES FOR WALL & CEILING

MASKING TAPES FOR EXTERIOR WALLS

WASHI MASKING TAPES

UNIVERSAL MASKING TAPES

MASKING TAPES FOR DOOR & WINDOW

MASKING TAPES FOR DECORATIVE WORKS

OTHER TAPES

MASKING TAPES

WALL AND CEILING PROFESSIONAL



Code			Unit	Pack unit	Master carton
BK1850	18mm	50m	piece	1 pcs	96 pcs
BK2450	24mm	50m	piece	1 pcs	72 pcs
BK3050	30mm	50m	piece	1 pcs	60 pcs
BK3650	36mm	50m	piece	1 pcs	48 pcs
BK4850	48mm	50m	piece	1 pcs	36 pcs



LABEL



- Masking tape intended for the protection of interior surfaces during painting works, professional level of quality
- Tape thickness: 128 µm
- Recommended removal time: 3 days
- Surfaces: wall, plasterboard, wood
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 80/30 °C/min
- Color: Ivory

WALL AND CEILING STANDARD



Code			Unit	Pack unit	Master carton
MK1850	18mm	50m	piece	1 pcs	96 pcs
MK2450	24mm	50m	piece	1 pcs	72 pcs
MK3050	30mm	50m	piece	1 pcs	60 pcs
MK3650	36mm	50m	piece	1 pcs	48 pcs
MK4850	48mm	50m	piece	1 pcs	36 pcs



LABEL



- Masking tape intended for the protection of interior surfaces during painting works, standard quality level
- Tape thickness: 125 ± 10 µm
- Recommended removal time: 2 days
- Surfaces: Wall, plasterboard
- Glue: Solvent glue
- Adhesive strength: 2
- Material: Crepe paper
- Temperature resistance: 70/30 °C/min
- Color: White


WALL AND CEILING PROFESSIONAL PACKET (TOWER)



Code			Unit	Pack unit	Master carton
BK185016	18mm	50m	piece	16 pcs	96 pcs
BK245012	24mm	50m	piece	12 pcs	72 pcs
BK305010	30mm	50m	piece	10 pcs	60 pcs
BK36508	36mm	50m	piece	8 pcs	48 pcs
BK48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Masking tape intended for the protection of interior surfaces during painting works, professional level of quality
- Tape thickness: 128 µm
- Recommended removal time: 3 days
- Surfaces: wall, plasterboard, wood
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 80/30 °C/min
- Color: Ivory


WALL AND CEILING STANDARD PACKET (TOWER)



Code			Unit	Pack unit	Master carton
MK185016	18mm	50m	piece	16 pcs	96 pcs
MK245012	24mm	50m	piece	12 pcs	72 pcs
MK305010	30mm	50m	piece	10 pcs	60 pcs
MK36508	36mm	50m	piece	8 pcs	48 pcs
MK48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Masking tape intended for the protection of interior surfaces during painting works, standard quality level
- Tape thickness: 125 ± 10 µm
- Recommended removal time: 2 days
- Surfaces: Wall, plasterboard
- Glue: Solvent glue
- Adhesive strength: 2
- Material: Crepe paper
- Temperature resistance: 70/30 °C/min
- Color: White

MASKING TAPES

FACADE PROFESSIONAL



Code			Unit	Pack unit	Master carton
PROK1850	18mm	50m	piece	1 pcs	96 pcs
PROK2450	24mm	50m	piece	1 pcs	72 pcs
PROK3050	30mm	50m	piece	1 pcs	60 pcs
PROK3650	36mm	50m	piece	1 pcs	48 pcs
PROK4850	48mm	50m	piece	1 pcs	36 pcs



LABEL



- Masking tape intended for the protection of external surfaces during facade works, professional level of quality
- Tape thickness: 145 µm
- Recommended removal time: 3 days
- Surfaces: Rough and semi-rough external walls
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 90 °C
- Color: Brown

FACADE STANDARD



Code			Unit	Pack unit	Master carton
FASK1850	18mm	50m	piece	1 pcs	96 pcs
FASK2450	24mm	50m	piece	1 pcs	72 pcs
FASK3050	30mm	50m	piece	1 pcs	60 pcs
FASK3650	36mm	50m	piece	1 pcs	48 pcs
FASK4850	48mm	50m	piece	1 pcs	36 pcs




LABEL



- Masking tape intended for the protection of external surfaces during facade works, standard quality level
- Tape thickness: 145 µm
- Recommended removal time: 3 days
- Surfaces: Rough and semi-rough external walls
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 80 °C
- Color: Yellow

FACADE PROFESSIONAL PACKET (TOWER)



Code			Unit	Pack unit	Master carton
PROK185016	18mm	50m	piece	16 pcs	96 pcs
PROK245012	24mm	50m	piece	12 pcs	72 pcs
PROK305010	30mm	50m	piece	10 pcs	60 pcs
PROK36508	36mm	50m	piece	8 pcs	48 pcs
PROK48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Masking tape intended for the protection of external surfaces during facade works, professional level of quality
- Tape thickness: 145 µm
- Recommended removal time: 3 days
- Surfaces: Rough and semi-rough external walls
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 90 °C
- Color: Brown

FACADE STANDARD PACKET (TOWER)



Code			Unit	Pack unit	Master carton
FASK185016	18mm	50m	piece	16 pcs	96 pcs
FASK245012	24mm	50m	piece	12 pcs	72 pcs
FASK305010	30mm	50m	piece	10 pcs	60 pcs
FASK36508	36mm	50m	piece	8 pcs	48 pcs
FASK48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Masking tape intended for the protection of external surfaces during facade works, standard quality level
- Tape thickness: 145 µm
- Recommended removal time: 3 days
- Surfaces: Rough and semi-rough external walls
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 80 °C
- Color: Yellow

MASKING TAPES

DOOR AND WINDOW



Code			Unit	Pack unit	Master carton
DK1850	18mm	50m	piece	1 pcs	96 pcs
DK2450	24mm	50m	piece	1 pcs	72 pcs
DK3050	30mm	50m	piece	1 pcs	60 pcs
DK3650	36mm	50m	piece	1 pcs	48 pcs
DK4850	48mm	50m	piece	1 pcs	36 pcs



LABEL



- Masking tape intended for the internal protection of woodwork, such as doors and windows, professional quality level
- Tape thickness: 125 ± 10 µm
- Recommended removal time: 2 days
- Surfaces: PVC, wood, aluminum
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 60/30 °C/min
- Color: Blue

DECORATIVE LINE



Code			Unit	Pack unit	Master carton
PLK1850	18mm	50m	piece	1 pcs	96 pcs
PLK2450	24mm	50m	piece	1 pcs	72 pcs
PLK3050	30mm	50m	piece	1 pcs	60 pcs
PLK3650	36mm	50m	piece	1 pcs	48 pcs
PLK4850	48mm	50m	piece	1 pcs	36 pcs
KTDR533	5mm	33m	piece	5 pcs	330 pcs




LABEL



- Masking tape intended for drawing precise lines, professional level of quality
- Tape thickness: 135 µm ± 10%
- Recommended removal time: 2 days
- Surfaces: Ceiling, wall, plasterboard
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 80 °C / 1h
- Color: Green


DOOR AND WINDOW PACKET (TOWER)



Code			Unit	Pack unit	Master carton
DK185016	18mm	50m	piece	16 pcs	96 pcs
DK245012	24mm	50m	piece	12 pcs	72 pcs
DK305010	30mm	50m	piece	10 pcs	60 pcs
DK36508	36mm	50m	piece	8 pcs	48 pcs
DK48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Masking tape intended for the internal protection of woodwork, such as doors and windows, professional quality level
- Tape thickness: 125 ± 10 µm
- Recommended removal time: 2 days
- Surfaces: PVC, wood, aluminum
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 60/30 °C/min
- Color: Blue


DECORATIVE LINE PACKET (TOWER)



Code			Unit	Pack unit	Master carton
PLK185016	18mm	50m	piece	16 pcs	96 pcs
PLK245012	24mm	50m	piece	12 pcs	72 pcs
PLK305010	30mm	50m	piece	10 pcs	60 pcs
PLK36508	36mm	50m	piece	8 pcs	48 pcs
PLKK48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Masking tape intended for drawing precise lines, professional level of quality
- Tape thickness: 135 µm ± 10%
- Recommended removal time: 2 days
- Surfaces: Ceiling, wall, plasterboard
- Glue: Natural rubber
- Adhesive strength: 3
- Material: Crepe paper
- Temperature resistance: 80 °C / 1h
- Color: Green

GOLDEN WASHI TAPE (WASHI PAPER)



Code			Unit	Pack unit	Master carton
GW1850	18mm	50m	piece	1 pcs	96 pcs
GW2450	24mm	50m	piece	1 pcs	72 pcs
GW3050	30mm	50m	piece	1 pcs	60 pcs
GW3650	36mm	50m	piece	1 pcs	48 pcs
GW4850	48mm	50m	piece	1 pcs	36 pcs

LABEL

- Tape made of handmade washi paper, originally from Japan, intended for all exterior and interior work, professional quality level
- Tape thickness: 90 µm ± 10%
- Recommended removal time: 90 days
- Surfaces: All types of surfaces, can also be used in a chamber
- UV resistant and waterproof
- It does not let paint under it
- Glue: Acrylic glue
- Adhesive strength: 4
- Material: Washi paper
- Temperature resistance: 120 °C / 1h
- Color: Yellow

BRUTAL WASHI TAPE 90 DAYS UV (WASHI PAPER)




Code			Unit	Pack unit	Master carton
BW3033	30mm	33m	piece	1 pcs	60 pcs
BW4833	48mm	33m	piece	1 pcs	36 pcs

LABEL

- Tape made of handmade washi paper, originally from Japan, intended for all exterior and interior work, professional quality level
- Tape thickness: 90 µm ± 10%
- Recommended removal time: 90 days
- Surfaces: All types of surfaces, can also be used in a chamber
- UV resistant and waterproof
- It does not let paint under it
- Glue: Acrylic glue
- Adhesive strength: 4
- Material: Washi paper
- Temperature resistance: 120 °C / 1h
- Color: Yellow


GOLDEN WASHI TAPE PACKET (TOWER) (WASHI PAPER)



Code			Unit	Pack unit	Master carton
GW185016	18mm	50m	piece	16 pcs	96 pcs
GW245012	24mm	50m	piece	12 pcs	72 pcs
GW305010	30mm	50m	piece	10 pcs	60 pcs
GW36580	36mm	50m	piece	8 pcs	48 pcs
GW48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Tape made of handmade washi paper, originally from Japan, intended for all exterior and interior work, professional quality level
- Tape thickness: 90 µm ± 10%
- Recommended removal time: 90 days
- Surfaces: All types of surfaces, can also be used in a chamber
- UV resistant and waterproof
- It does not let paint under it
- Glue: Acrylic glue
- Adhesive strength: 4
- Material: Washi paper
- Temperature resistance: 120 °C / 1h
- Color: Yellow

SENSITIVE WASHI TAPE 21 DAYS UV (WASHI PAPER)



Code			Unit	Pack unit	Master carton
SENW3033	30mm	33m	piece	1 pcs	60 pcs
SENW4833	48mm	33m	piece	1 pcs	36 pcs



LABEL



- Tape made of handmade washi paper, originally from Japan, intended for indoor and outdoor work on sensitive surfaces, professional quality level
- Tape thickness: 85 µm ± 10%
- Recommended removal time: 21 days
- Surfaces: Wallpaper, freshly painted walls, kitchen elements
- It does not let paint under it
- Glue: Acrylic glue
- Adhesive strength: 1
- Material: Washi paper
- Temperature resistance: 100 °C / 0.5h
- Color: Purple

MASKING TAPES

UNIVERSAL
STRONG



Code			Unit	Pack unit	Master carton
STRONG1850	18mm	50m	piece	1 pcs	96 pcs
STRONG2450	24mm	50m	piece	1 pcs	72 pcs
STRONG3050	30mm	50m	piece	1 pcs	60 pcs
STRONG3650	36mm	50m	piece	1 pcs	48 pcs
STRONG4850	48mm	50m	piece	1 pcs	36 pcs



LABEL



- Masking tape for external and internal use, intended for jobs where strong adhesion is required, professional quality level
- Tape thickness: 145 ± 10 µm
- Recommended removal time: 5 days
- Surfaces: Wood, metal, glass, concrete
- Resistance to high temperatures and atmospheric influences
- Glue: Natural rubber
- Adhesive strength: 4
- Material: Crepe paper
- Temperature resistance: 80/60 °C/min
- Color: Yellow




UNIVERSAL STRONG PACKET (TOWER)



Code			Unit	Pack unit	Master carton
STRONG185016	18mm	50m	piece	16 pcs	96 pcs
STRONG245012	24mm	50m	piece	12 pcs	72 pcs
STRONG305010	30mm	50m	piece	10 pcs	60 pcs
STRONG36508	36mm	50m	piece	8 pcs	48 pcs
STRONG48506	48mm	50m	piece	6 pcs	36 pcs



LABEL



- Masking tape for external and internal use, intended for jobs where strong adhesion is required, professional quality level
- Tape thickness: 145 ± 10 µm
- Recommended removal time: 5 days
- Surfaces: Wood, metal, glass, concrete
- Resistance to high temperatures and atmospheric influences
- Glue: Natural rubber
- Adhesive strength: 4
- Material: Crepe paper
- Temperature resistance: 80/60 °C/min
- Color: Yellow

DOUBLE SIDED TAPE



Code			Unit	Pack unit	Master carton
DT18X5	18mm	5m	piece	16 pcs	192 pcs
DT38X10	38mm	10m	piece	96 pcs	96 pcs
DT5	48mm	5m	piece	3 pcs	72 pcs
DT50X10	48mm	10m	piece	72 pcs	72 pcs

LABEL



- Double-sided adhesive tape for connecting, mounting and fixing objects made of various types of materials
- For internal use
- It remains on the surface for a long period of time
- Tape thickness: 105 ± 10 µm
- Surfaces: Textile, vinyl, wood, plastic
- Color of the adhesive part of the tape: White
- Color: Yellow

OTHER TAPES

PACKING TAPE BROWN



Code			Unit	Pack unit	Master carton
MT50X50	50mm	50m	piece	6 pcs	72 pcs

LABEL



- Polypropylene self-adhesive tape for taping light and medium weight packages
- Does not leave traces of glue
- Tape thickness: 43 µm
- Surfaces: Cardboard, paper, plastic
- Glue: Acrylic glue
- Material: BOPP
- Color: Brown

PACKING TAPE TRANSPARENT



Code			Unit	Pack unit	Master carton
S50X50	50mm	50m	piece	6 pcs	72 pcs

LABEL



- Polypropylene self-adhesive tape
- For sealing light and medium-weight packages
- No adhesive residue
- Tape thickness: 43 µm
- Surfaces: Cardboard, paper, plastic
- Adhesive: Acrylic adhesive
- Material: BOPP
- Color: Transparent

ALUMINUM TAPE



Code			Unit	Pack unit	Master carton
AT10	48mm	10m	piece	72 pcs	72 pcs
AT50	48mm	50m	piece	36 pcs	36 pcs

LABEL



- Single-sided adhesive tape with aluminum backing
- For joining pipes in ventilation and heating systems, insulating electromagnetic devices, and protection against high temperatures
- Water- and corrosion-resistant
- Temperature resistance: From -20 °C to 120 °C
- Tape thickness: 48 ± 10 µm
- Adhesive: Acrylic adhesive
- Material: Aluminum foil
- Color: Gray

DUCT TAPE



Code			Unit	Pack unit	Master carton
TT	48mm	10m	piece	72 pcs	72 pcs
TT20	48mm	20m	piece	10 pcs	20 pcs
TT50	48mm	50m	piece	36 pcs	36 pcs

LABEL



- Three-layer, fabric-reinforced polyethylene adhesive tape
- With exceptional adhesive strength and versatile applications
- Application: Suitable for a wide range of uses, e.g. for coating in thermal and moisture protection, packaging heavy parcels, repairs, and decoration
- Adhesion: Adheres well to various surfaces, holds bonded parts firmly, and is highly moisture-resistant
- Tape thickness: 140 ± 10 µm
- Surfaces: paper, wood, concrete, metal, fabric, plastic, brickStoff, Kunststoff, Ziegel
- Adhesive: Hot melt
- Material: Polyethylene, reinforced with fabric
- Color: Gray

OTHER TAPES

DUCT TAPE BLACK



CARDBOARD



or

LABEL



Code			Unit	Pack unit	Master carton
TTC	48mm	10m	piece	72 pcs	72 pcs
TTC20	48mm	20m	piece	10 pcs	20 pcs

- Three-layer, fabric-reinforced polyethylene adhesive tape
- With exceptional adhesive strength and versatile applications
- Application: Suitable for a wide range of uses, e.g. for coating in thermal and moisture protection, packaging heavy parcels, repairs, and decoration
- Adhesion: Adheres well to various surfaces, holds bonded parts firmly, and is highly moisture-resistant
- Tape thickness: 140 ± 10 µm
- Surfaces: Paper, wood, concrete, metal, fabric, plastic, brick
- Adhesive: Hot melt
- Material: Polyethylene, reinforced with fabric
- Color: Black

DUCT TAPE WHITE



CARDBOARD



or

LABEL



Code			Unit	Pack unit	Master carton
TTB20	48mm	20m	piece	10 pcs	20 pcs

- Three-layer, fabric-reinforced polyethylene adhesive tape
- With exceptional adhesive strength and versatile applications
- Application: Suitable for a wide range of uses, e.g. for coating in thermal and moisture protection, packaging heavy parcels, repairs, and decoration
- Adhesion: Adheres well to various surfaces, holds bonded parts firmly, and is highly moisture-resistant
- Tape thickness: 140 ± 10 µm
- Surfaces: Paper, wood, concrete, metal, fabric, plastic, brick
- Adhesive: Hot melt
- Material: Polyethylene, reinforced with fabric
- Color: White

ULTRA RESISTANT DUCT TAPE GRAY



Code			Unit	Pack unit	Master carton
TTUOS20	48mm	20m	piece	10 pcs	20 pcs

CARDBOARD LABEL



- Product description: Extremely durable repair adhesive tape for heavy-duty repairs on all surfaces, resistant to weather and extreme conditions
- Application: This adhesive tape is suitable for repair work where extreme adhesion strength, wear resistance, and weather resistance are essential. Thanks to its excellent adhesion and durability properties, it ensures a long-lasting, heavy-duty bond that is weather-resistant and UV-resistant. It is therefore ideal for repairs on all smooth and rough surfaces. It is used for repairing and sealing cracks, joining and sealing broken parts, or bundling items
- Instructions for use: The surface to be treated must be clean, dry, and free of dust and grease. Avoid touching the exposed adhesive surface to maintain full adhesive strength. For optimal adhesion, firm hand pressure is recommended during application
- Tape thickness: 220 ± 10 µm
- Surfaces: Paper, wood, concrete, metal, fabric, plastic, brick
- Adhesive: Hot melt
- Material: Polyethylene, reinforced with fabric
- Color: Gray

ULTRA RESISTANT DUCT TAPE BLACK



Code			Unit	Pack unit	Master carton
TTUOC20	48mm	20m	piece	10 pcs	20 pcs

CARDBOARD LABEL



- Product description: Extremely durable repair adhesive tape for heavy-duty repairs on all surfaces, resistant to weather and extreme conditions
- Application: This adhesive tape is suitable for repair work where extreme adhesion strength, wear resistance, and weather resistance are essential. Thanks to its excellent adhesion and durability properties, it ensures a long-lasting, heavy-duty bond that is weather-resistant and UV-resistant. It is therefore ideal for repairs on all smooth and rough surfaces. It is used for repairing and sealing cracks, joining and sealing broken parts, or bundling items
- Instructions for use: The surface to be treated must be clean, dry, and free of dust and grease. Avoid touching the exposed adhesive surface to maintain full adhesive strength. For optimal adhesion, firm hand pressure is recommended during application
- Tape thickness: 220 ± 10 µm
- Surfaces: Paper, wood, concrete, metal, fabric, plastic, brick
- Adhesive: Hot melt
- Material: Polyethylene, reinforced with fabric
- Color: Black



REPAIR TAPE TRANSPARENT

CARDBOARD



or

LABEL





- Product description: Transparent repair adhesive tape for fixing transparent items such as glass, plastic, or film
- Application: For sealing broken or punctured surfaces where transparency and weather resistance are essential. Suitable for repairing glass surfaces (windows, furniture, headlights, tail lights, windshields) as well as plastic greenhouse coverings
- Instructions for use: The surface to be treated must be clean, dry, and free of dust and grease. To maintain full adhesive strength, avoid touching the exposed adhesive surface. The adhesive must be applied with maximum pressure to achieve optimal bonding. Recommended application temperature: between 0 °C and +35 °C. The specified performance is achieved after a curing time of 24 hours at an optimal temperature of 23 °C
- Tape thickness: 150 ± 5 µm
- Surfaces: Glass, plastic, or film
- Adhesive: Water-based acrylic
- Material: LDPE film
- Color: Transparent

Code			Unit	Pack unit	Master carton
RTP20	48mm	20m	piece	10 pcs	20 pcs

DOUBLE SIDED NANO MOUNTING TAPE

CARDBOARD



Code			Unit	Pack unit	Master carton
DNT1.5	19mm	1.5m	piece	12 pcs	48 pcs

- Product description: Strong, double-sided, transparent mounting adhesive tape for fixing items on smooth and slightly rough surfaces
- Application: For secure and permanent mounting of objects and decorations under all conditions where water resistance is important or a transparent bond is required. Suitable for use on smooth and semi-smooth surfaces
- Instructions for use: The surface to be treated must be clean, dry, and free of grease, oil, moisture, dirt, and other contaminants before application
- Tape thickness: 2000 ± 10 µm
- Surfaces: Plastic, metal, ceramic, glass, and wood surfaces
- Adhesive: Acrylic
- Material: PE release liner
- Color: Transparent

DOUBLE SIDED UNIVERSAL MOUNTING TAPE

CARDBOARD



Code			Unit	Pack unit	Master carton
DFUT2	19mm	2m	piece	12 pcs	48 pcs

- Product description: Universal double-sided mounting adhesive tape for fixing objects on smooth and slightly rough surfaces
- Application: For mounting lightweight items or decorations on smooth and slightly rough surfaces. Suitable for indoor use
- Instructions for use: The surfaces to which the tape is applied must be clean, dry, and free of grease, oil, moisture, dirt, and other contaminants
- Tape thickness: 1000 ± 10 µm
- Surfaces: Plastic, metal, ceramic, glass, and wood surfaces
- Adhesive: Acrylic
- Material: PE release liner
- Color: White

DOUBLE SIDED ULTRA STRONG MOUNTING TAPE

CARDBOARD



Code			Unit	Pack unit	Master carton
DFUJT2	19mm	2m	piece	12 pcs	48 pcs

- Product Description: Strong double-sided mounting tape for attaching objects to smooth and slightly rough surfaces
- Application: For attaching solid objects and decorations where strong adhesion is required. Suitable for indoor use on smooth and slightly rough surfaces
- Application Instructions: The surface to be treated must be clean, dry, and free of grease, oil, moisture, dirt, and other contaminants before application
- Tape Thickness: 1000 ± 10 µm
- Suitable Surfaces: Plastic, metal, ceramic, glass, and wood
- Adhesive: Acrylic
- Material: PE Release Film
- Color: White

SINGLE TAPES
OPTION 1 - LABEL POSITION AND DIMENSIONS

Available dimension of a labels

Tape size	Label size
48mm x 50m	170 x 16mm
36mm x 50m	170 x 22mm
30mm x 50m	170 x 24mm
24mm x 50m	170 x 30mm
18mm x 50m	170 x 42mm



Cardboard core with print

Label position on tape



PACKET (TOWER) TAPES
OPTION 2 - LABEL POSITION AND DIMENSIONS



Label position on packet (tower)


Available dimension of a labels

Tape size	Pcs / packet	Label size 2
48mm x 50m	6 pcs	70 x 100mm
36mm x 50m	8 pcs	
30mm x 50m	10 pcs	
24mm x 50m	12 pcs	
18mm x 50m	16 pcs	

SINGLE TAPES - BIG TAPES
OPTION 2 - CARDBOARD PACKAGING




3D preview of cardboard packaging



***Note:** We can custom-design the tool (die-cut) according to your requirements*


BIG TAPES - SHELF READY BOX



SINGLE TAPES - SMALL TAPES
OPTION 2 - CARDBOARD PACKAGING





3D preview of cardboard packaging



***Note:** We can custom-design the tool (die-cut) according to your requirements*

SMALL TAPES - SHELF READY BOX





TOOLS FOR TILE INSTALLATION

TILE CROSSES



Code	Width	Length	Unit	Pack unit	Master carton
K1V	1mm	37mm	piece	100 pcs	100 pcs
K2V	2mm	37mm	piece	100 pcs	100 pcs
K3V	3mm	37mm	piece	100 pcs	100 pcs
K4	4mm	37mm	piece	120 pcs	120 pcs
K5	5mm	37mm	piece	120 pcs	120 pcs

- Plastic tile crosses for correct positioning of ceramic tiles and creating an even gap
- Length: 37mm
- Material: Polyethylene

TILE STICKS, 200 PIECES



Code	Length	Unit	Pack unit	Master carton
KAPV	30mm	piece	25 pcs	250 pcs

- Plastic tile sticks for correct positioning of ceramic tiles and creating an even gap
- Material: Polyethylene


TILE LEVELING WEDGES, 100 PIECES



Code	Length	Unit	Pack unit	Master carton
NK-100	92mm	piece	15 pcs	15 pcs

- Tile leveling wedges
- Simple, fast, and precise installation
- Used with products NS1-100, NS1.5-100, NS2-100 and NS3-100 depending on the desired grout thickness
- Suitable for tiles with a thickness of 4-10mm
- Can be reused

LINEAR SPACERS, 100 PIECES



Code	Width	Unit	Pack unit	Master carton
NS1-100	1mm	piece	25 pcs	25 pcs
NS1.5-100	1.5mm	piece	25 pcs	25 pcs
NS2-100	2mm	piece	25 pcs	25 pcs
NS3-100	3mm	piece	25 pcs	25 pcs

- Linear spacers are part of the leveling system used to assist tile leveling wedges during tile installation
- Simple, fast, and precise installation
- Used with wedges NK-100
- Suitable for grout joints of 1mm and tiles with a thickness of 4-10mm, as well as any tile surface

DIMENSION OF A FOIL PRINT FOR LINEAR SPACERS

LINEAR SPACER



Linear spacer size	
1mm	1.5mm
2mm	3mm

FRONT SIDE

DIMENSION OF
A FOIL PRINT

195 x 250mm

BACK SIDE

75 x 250mm


75 x 250mm

DIMENSION OF A FOIL PRINT FOR WEDGES


WEDGE



FRONT SIDE



BACK SIDE





BOWLS AND LADDERS

PVC BOWL, PROFESSIONAL



DIMENSION OF A LABEL
88 x 45mm

Code	Diameter	Unit	Pack unit	Master carton
FPVCP	Ø170mm	piece	60 pcs	60 pcs

- PVC bowl with a handle, made from high-quality plastic, designed for working with mortar and other construction materials
- It features a metal hook attached to the handle, used for hanging on the edge of a trough
- Handle length: 140mm

PVC BOWL



DIMENSION OF A LABEL
88 x 45mm

Code	Diameter	Unit	Pack unit	Master carton
FPVC	Ø170mm	piece	40 pcs	40 pcs

- PVC bowl with a handle, made from high-quality plastic, designed for working with mortar and other construction materials
- It features a plastic hook on the handle, used for hanging on the edge of a trough
- Handle length: 140mm


WOODEN LADDERS



COMPLIANCE
CERTIFIED TO STANDARD
EN131

- The ladder is made of kiln-dried, knot-free Canadian poplar (8–10%), a wood that is significantly lighter and more flexible than pine and beech, which are used for most ladders from European manufacturers
- Ladders are thicker than those from European manufacturers. They feature 50 x 30 mm rungs, while most European manufacturers use 50 x 20 mm rungs
- The third rung is wider for added stability, measuring 60 mm
- The ladder is equipped with non-slip rubber feet for added safety and to protect the floor
- The joints between the wooden parts are considerably more robust: they consist of 14 x 20 mm strips that extend 20 mm into the foot and are glued in place. With most European manufacturers, the connection is two-part, without glue, and protrudes only 12 mm into the foot
- The ladder is equipped with a bucket hook, which can be added optionally as needed
- The ladder features a safety bar with a reinforced nut to prevent the screw from loosening, and a spacer to prevent the ladder from wobbling during transport

MAXIMUM LOAD **150 kg**





A4 poster and user instruction

Code	Dimension	Height	Unit	Pack unit	Euro pallet number
DM2X3	2x3	1.1m	piece	1 pcs	25 pcs
DM2X4	2x4	1.4m	piece	1 pcs	25 pcs
DM2X5	2x5	1.77m	piece	1 pcs	25 pcs
DM2X6	2x6	2.1m	piece	1 pcs	25 pcs
DM2X7	2x7	2.42m	piece	1 pcs	25 pcs

PRODUCT

CATALOG

2026

BEOROL PRIMA d.o.o.